# **PRODUCT GUIDE** SIXTH EDITION



## **ABOUT BLAKELEY**

2

## Welcome to our new Blakeley Product Guide – Sixth Edition

At BLAKELEY PROFILES, we offer an unrivalled service, backed up by a friendly, knowledgeable and helpful team, to assist you in sourcing whatever window trim and roofline requirements you have.

Having had experience in the construction industry since 1997, we have built up an understanding of the trade, and have grown year on year without sacrificing any of the basic principles that the company was founded on: honesty, reliability and integrity.

We offer a next day delivery service, throughout Wiltshire, Somerset, Dorset and Hampshire. Being a specialist merchant, our stock levels are high, ensuring your deadlines are met. Outside of these areas we also use a reliable courier company so we can cater for your requirements nationwide!

Marlborough

Salisbury

New Milton

Wilton

Swindon

Trowbridge

Ringwood

Yeovil

Weymouth

Bournemouth

#### © Blakeley Construction Profiles Ltd 2021

No part of this publication may be copied, reproduced, scanned, or stored in any electronic database whether in whole or in part, in any form or by any means, without the prior written permission of Blakeley Construction Profiles. BLAKELEY

Old Salur

BLV(EI EA

314(212

London & Andover

A36 Solion

A338

B'mouth

AKELEY

#### **CUSTOM COLOURED OPTIONS** 4-7

#### FASCIA BOARDS

Capping Board	8
Capping Ogee Board	8
Woodgrain Capping Board	8
Methods of Installation	9
Mammoth Board	10
Mammoth Ogee Board	10
Woodgrain Mammoth Board	10
Flat Fascia	11
Round Nose Mammoth Board	11
Woodgrain Tudor Board	11

#### SOFFIT BOARDS

Hollow Soffit	12
Multipurpose Board	12
Vented Soffit	12
Woodgrain Multipurpose Board	12
Double Vented Soffit	13
Corners & Joiners	13
Fascia Corners & Soffit Trims	14

#### **ROOFING ANCILLARIES**

#### **SWATCHES**

#### CLADDING

Cladding Installation	
Standard Cladding	
Cladding Trims	
Embossed Cladding	

#### FIXINGS

Dome Caps
Poly Top Pins & Nails
Spring Head Nails
Baypole Screws
Flat Glazing Packers
Frame Fixing
Masonry Screws
Plastic Plugs
Wood Screws
Tape Measure

#### 

1	Drill Bits
	Hole Saw
	Stanley Knife
	Trimsnips
	Thor Hammer
	Black Sacks
	Hand Saws
	Cable Ties
	Brushes
	Buckets
	Ropes & Straps

#### **CLOTHING & PPE**

Dust Masks	23
Ear Protection	23
Eye Protection	23
First Aid Kits	23
Gloves	23

#### **BUILDING CHEMICALS**

Expanding Foam	24
Expanding Foam Gun	24
M/purpose Adhesive Sealant	24
Low Modulus Silicone	24
Skeleton Gun	24

1	Non Drip Skeleton Gun	24
ļ	Gap Filling Adhesive	25
	Glass Cleaner	25
	Paper Hand Towel	25
	PVC Wipes	25
	Solvent Cleaner	25
	Super Glue & Activator	25

#### LAMINATED WINDOW BOARD

End Caps	26
Laminated Window Board	26
Mitre Joints	26

#### INTERNAL WALL COVERING

Shower Panels & Trims	
Hygiene Panels & Trims	

#### WINDOW TRIMS

Architrave	
D Section	
Edge Fillet	
Hollow Angle	
Quadrant	
Square Box	
Flexi Angle	
Rigid Angle	

#### **RAINWATER SYSTEMS**

Half Round	32-34
Squareline	35-36
Ogee	37-38
Deep Flow	39-40
Commercial	41
Cast Iron Style Half Round	42
Cast Iron Style Deepflow	43
Cast Iron Style Ogee	44
Cast Iron Style Hoppers	45
Cast Iron Style Pipe & Fittings	46-47

Gutter Balloons	48
Gutter Brush	48
Gutter Lubricants	48
Leaf Mesh	48
Rainwater Diverter	48
Temporary Down Pipe	48
Gutter Adaptor	49
Unifit Outlets	49
Cast Iron Half Round	50-51
Cast Iron Victorian Ogee	52-53
Cast Iron Pipe & Fittings	54-55
Cast Iron Hoppers	55

#### **SOIL & WASTE**

27-28

l	Soil Pipe & Fittings	56-57
l	Waste Pipe & Fittings	56-57

#### **ROOF SHEETING**

Polycarbonate Sheets	58
Self Supporting Bars	59
Rafter Supporting Bars	60
Fixing Buttons	61

#### COMPOSITE DECKING

Decking Planks	62
Fixings	62

## CUSTOM PRODUCTS & SPECIALIST

GUTERING	
Bespoke Products	63
Aluminium Products	63


## WE CAN SUPPLY ANY COLOUR

We are an established supplier of colour roofline and rainwater systems that can satisfy the creative flair of home-owners, developers and architects.

Utilising our in house spraying facility, we are able to supply coloured roof lanterns, roofline and rainwater goods direct from our factory in Salisbury.

Once you have selected your desired product and colour we will work closely to ensure all the items required are supplied. The goods will be taken out of our warehouse and prepared and sprayed to a high standard, and once cured will be packaged ready for despatch or collection.

We are able to offer a nationwide delivery service for goods up to 5m long.



## **WE SUPPLY**

We at Blakeley feel you shouldn't have to compromise on colour in any part of your home. This is why we offer a bespoke range of colours and finishes for roof lanterns, roofline and rainwater goods so that homeowner's dreams can become realities.



**Coloured Roof Lanterns** 



Coloured Fascia and Soffit



Coloured Cladding & Guttering

4

## FINISH OPTIONS

We offer four finishes to complement any property, whether you have a traditional or contemporary style house, with timber, aluminium or pvc windows.



SMOOTH

Choose from Gloss, Satin or Matt for your modern home.





#### **TEXTURED**

Textured colour is a niche in the market which has been recognised by Blakeley. Give your colour a look that mimics aluminium without the expense.



Choose your desired colour and make it stand out with a Metallic fleck to really enhance your property.



WOODGRAIN

The Woodgrain finish will give you all of the benefits of timber without the need to regularly repaint. All it requires is the occasional clean.



## **COLOUR OPTIONS**

We can spray any fascia, soffit, guttering and cladding system in this product guide to any colour.

We usually paint to RAL, BS or NCS colour palettes, but can match to other systems, or to an existing colour, as long as you are able to send a sample of it to us.

The gallery on the next pages may give you some inspiration if needed, or view our website for more ideas.



## SOME RECENT PROJECTS



#### **Cornwall Project**

Cast iron style gutter and downpipe supplied to an old fishing cottage in Cornwall. we matched this colour to an existing paint swatch - to the homeowner's delight!

#### **Rainwater Goods**

We supplied the guttering to this home office refurbishment near Clapham. Finished in RAL7032 it complements the timber fascia and windows perfectly.



#### Housing Estate in Warminster

Fascia and soffit finished RAL9001 was specified for this project to match the windows. A mid sized development of 12 houses.





#### **Cast Iron Guttering**

Cast Iron rainwater goods were supplied to finish off this delightful extension to a period property in rural Dorset.



Wokingham Chalet Bungalow

A large chalet bungalow near Wokingham with RAL7039 fascia and soffit to match the aluminium windows.



#### **Cornwall Development**

A development of four family houses with garages, we supplied fascia and soffit finished in RAL7037 to match the doors and windows.



#### Rainwater goods for a Log Cabin

PVC guttering supplied to a log cabin manufacturer in RAL7034 Yellow Grey to match the doors and windows.

## **10mm** CAPPING BOARD








#### **10MM PLAIN CAPPING FASCIA 5 METRE LENGTHS**

CODE	DESCRIPTION	CO	COLOUR						
		>	ЪG	SAB	SG	ä	AG	BR	BL
09100	100mm Single Leg	•							
09150	150mm Single Leg	٠							
09175	175mm Single Leg	٠	٠	٠	٠	٠	٠	٠	٠
09200	200mm Single Leg	•	٠	٠	٠	٠	٠	٠	٠
09225	225mm Single Leg	٠	٠	٠	٠	٠	٠	٠	٠
09250	250mm Single Leg	٠							
09300	300mm Single Leg	٠							
09400	400mm Single Leg	٠							
09410	410mm Double Leg	٠	٠	٠	٠	٠	٠	٠	٠
09450	450mm Single Leg	٠							
09600	600mm Double Leg	٠	٠	٠	٠	٠	٠	٠	٠

#### **10MM OGEE CAPPING FASCIA 5 METRE LENGTHS**

DESCRIPTION	CO	COLOUR						
	×	ЪG	SAB	SG	DG	AG	BR	ВГ
100mm Single Leg	•							
150mm Single Leg	٠							
175mm Single Leg	٠	٠	٠	٠	٠	٠	٠	٠
200mm Single Leg	٠	٠	٠	٠	٠	٠	٠	٠
225mm Single Leg	٠	٠	٠	٠	٠	٠	٠	٠
250mm Single Leg	٠	٠	٠	٠	٠	٠	٠	٠
300mm Single Leg	٠							
390mm Single Leg	٠	٠	٠	٠	٠	٠	٠	٠
	100mm Single Leg 150mm Single Leg 175mm Single Leg 200mm Single Leg 225mm Single Leg 250mm Single Leg 300mm Single Leg	>         100mm Single Leg         150mm Single Leg         175mm Single Leg         200mm Single Leg         225mm Single Leg         250mm Single Leg         300mm Single Leg	≥     2       100mm Single Leg     ●       150mm Single Leg     ●       175mm Single Leg     ●       200mm Single Leg     ●       225mm Single Leg     ●       250mm Single Leg     ●       300mm Single Leg     ●	≥2222100mm Single Leg●●175mm Single Leg●●200mm Single Leg●●225mm Single Leg●●250mm Single Leg●●300mm Single Leg●●	≥     2     2     2     2     2       100mm Single Leg     ●     ●     ●       175mm Single Leg     ●     ●     ●       200mm Single Leg     ●     ●     ●       225mm Single Leg     ●     ●     ●       250mm Single Leg     ●     ●     ●       300mm Single Leg     ●     ●     ●	IOOmm Single Leg       Image: Constraint of the system       Image: Consten       Image: Consten	>       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2	≥       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2







10mm Capping Board

Requires a backing board.

Most commonly used for refurbishment work to clad over existing timber. Can also be used as

reveal liner or window board.





**10MM CAPPING FASCIA WOODGRAIN 5 METRE LENGTHS** 

CODE	DESCRIPTION	CO	LOU	R						
		A	G	0	Σ	RW	AGW	CWG	WGC	WGW
09150	150mm Single Leg	•	٠		٠	٠	•			
09175	175mm Single Leg	•	•	٠	•	٠	٠	٠	٠	•
09200	200mm Single Leg	•	٠	•	•	٠	•	•	•	
09225	225mm Single Leg	•	٠	•	•	•	•	٠	•	٠
09250	250mm Single Leg	•	٠		•	•	٠			
09300	300mm Single Leg	•	٠		٠	٠	٠			
09400	400mm Single Leg	•	٠	٠	٠	٠	٠	٠	٠	٠

## PREFERRED INSTALLATION METHODS



The Fascia should have a suitable existing or new backboard. The capping board should be fixed so that the weight of the eaves course of tiles is distributed across the backboard and/ or tilt fillets.

The soffit board should be supported on bearers at the foot of every rafter and be securely supported at each end.

A preferred method is to support them by battens nailed or screwed to the rafters as shown in the diagrams. The bearers should be checked for line and level and suitable packing installed where necessary.



When Mammoth Fascia is specified the roof covering should be supported by adequate means at the rafter ends. This can be by means of a tilt fillet, lay board or a shaped batten which extends the full length of the roof line.

A lay board is particularly desirable in the case of pitches less than 30° as it will prevent any sagging of the Sarking felt.

Vented soffit boards are available in a range of sizes when roof ventilation via the soffit is specified. The boards fit into the groove of the Mammoth Board and should be fixed to suitable soffit bearers.

## 18mm MAMMOTH FASCIA BOARD





**18MM MAMMOTH FASCIA 5 METRE LENGTHS** 

CODE	DESCRIPTION	CO	COLOUR							
		N	ЪG	SAB	SG	DG	AG	BR	BL	
18150	150mm Single Leg	•								
18175	175mm Single Leg	•	٠	٠	٠	٠	٠	•	٠	
18200	200mm Single Leg	•	٠	٠	٠	٠	٠	٠	٠	
18225	225mm Single Leg	•	٠	٠	٠	٠	٠	٠	٠	
18250	250mm Single Leg	٠								
18300	300mm Single Leg	•								
18410	410mm Double Leg	•	٠	٠	٠	٠	٠	٠	٠	

Refer to page 16 for colour swatches





#### 18mm Mammoth Board

Nail directly to rafter feet. Suitable for new build applications or total replacement if existing timber is rotten.

Also available in round nose or ogee boards.



#### **18MM OGEE MAMMOTH FASCIA 5 METRE LENGTHS**

CODE	DESCRIPTION	CO	COLOUR						
		×	ЪG	SAB	SG	DG	AG	BR	BL
181500	150mm Single Leg	•							
181750	175mm Single Leg	٠							
182000	200mm Single Leg	٠							
182250	225mm Single Leg	٠							
182500	250mm Single Leg	٠							
184000	405mm Single Leg	٠							




#### **18MM MAMMOTH FASCIA WOODGRAIN 5 METRE LENGTHS**

CODE	DESCRIPTION	COLOUR								
		A	ß	0	Σ	RW	AGW	CWG	WGC	WGW
18150	150mm Single Leg	•	•		٠	٠				
18175	175mm Single Leg	٠	٠	٠	٠	٠	٠	٠	٠	
18200	200mm Single Leg	٠	٠	٠	٠	٠	٠	٠	٠	
18225	225mm Single Leg	٠	٠		٠	٠	٠			
18250	250mm Single Leg	٠	٠		٠	٠	٠	•••••		
18400	400mm Single Leg	٠	٠	٠	٠	٠	٠	٠	٠	

## **FASCIA & SOFFIT BOARDS**



11



#### **18MM ROUND NOSE MAMMOTH FASCIA 5 METRE LENGTHS**

CODE	DESCRIPTION	CO	LOU	R					
		≥	ЪG	SAB	SG	DG	AG	BR	BL
18150R	150mm S/R Edge	•							
18175R	175mm S/R Edge	٠							
18200R	200mm S/R Edge	•							
18250R	250mm S/R Edge	•							
18400R	410mm S/R Edge	٠							



A round nose board suitable for use as a fascia board or window board in new build situations.





A flat profile suitable for open eaves situations or fixing directly to brickwork.



# 25MM WOODGRAIN TUDOR BOARD 5 METRE LENGTHS CODE DESCRIPTION COLOUR <</td> © Q Z Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q<



Foiled on three edges - Fix to house walls to create a Tudor beam effect.

Refer to page 16 for colour swatches







Ī

12

A flat board for a crisp clean finish. Suitable for use with breather felts or with ventilation above the fascia.

### **10MM MULTIPURPOSE BOARD 5 METRE LENGTHS**

CODE	DESCRIPTION	CO	LOU	R					
		>	В	SAB	SG	B	AG	BR	В
10100	100mm S/R Edge	•							
10150	150mm S/R Edge	•	٠	•	٠	•	•	•	٠
10175	175mm S/R Edge	•							
10200	200mm S/R Edge	•	٠	٠	٠	٠	٠	٠	٠
10225	225mm S/R Edge	٠							
10250	250mm S/R Edge	•							
10300	300mm D/R Edge	•	٠	٠	٠	٠	٠	٠	٠
10350	350mm D/R Edge	•						•••••	
10400	405mm D/R Edge	•	٠	٠	٠	٠	٠	٠	٠
10450	450mm S/R Edge	•							
10500	500mm S/R Edge	•		•••••		•••••		•••••	
10600	605mm D/R Edge	٠	٠	٠	٠	٠	٠	٠	٠

Refer to page 16 for colour swatches



Provides a cost effective alternative to cellular boards - use lengthways or widthways to complement the property.

NB: Not suitable for vertical cladding applications.

10MM H0	OLLOW SOFFIT 5 MET	RE LENG1	THS						
CODE	DESCRIPTION	CO	LOU	R					
		>	PG	SAB	SG	DG	AG	BR	ВГ
HS100	100m	•							
HS300	300mm		g sa Io m	'				WGW	I



A flat board for a crisp clean finish. Suitable for use with breather felts or with ventilation above the fascia.

#### 10MM MULTIPURPOSE BOARD WOODGRAIN 5M LENGTHS

CODE	DESCRIPTION	CO	LOU	R						
		A	ß	0	Σ	RW	AGW	CWG	WGC	WGW
10100	100mm S/R Edge	•	•		٠	٠	٠			
10150	150mm S/R Edge	•	٠		٠	٠	٠			
10175	175mm S/R Edge	•	٠	٠	٠	٠	٠	٠	٠	
10200	200mm S/R Edge	٠	٠	٠	٠	٠	٠	٠	٠	
10225	225mm S/R Edge	٠	٠	•	٠	٠	٠	٠	٠	
10250	250mm S/R Edge	٠	٠		٠	٠	٠			
10300	300mm D/R Edge	٠	٠		٠	٠	٠	٠	٠	
10400	405mm D/R Edge	٠	٠	٠	٠	٠	٠	٠	٠	
10600	605mm D/R Edge	٠	٠		٠	٠	٠			



Vent is always 45mm from the finished edge.

Slots enable 10kmm²/lin m (single vent) for roof pitches above 15°

#### **10MM VENTED SOFFIT WHITE & WOODGRAIN 5M LENGTHS**

CODE	DESCRIPTION			CO	LOU	R		
		~	AG	A	ß	0	Σ	RW
VS100	100mm S/R Edge	•		٠	٠		٠	٠
VS150	150mm S/R Edge	•		٠	٠		٠	٠
VS175	175mm S/R Edge	•		٠	٠		٠	٠
VS200	200mm S/R Edge	٠		٠	٠		٠	٠
VS225	225mm S/R Edge	٠		٠	٠		٠	٠
VS250	250mm S/R Edge	•		٠	٠		٠	٠
VS300	300mm S/R Edge	•	٠	٠	٠		٠	٠
VS400	405mm D/R Edge	•		٠	٠		٠	٠
VS450	450mm S/R Edge	٠		٠	٠		٠	٠
VS600	605mm D/R Edge	٠	٠		٠	٠	٠	

25kmm²/lin n	n ventilation for roof pitches les	s than 15°.							
10MM D	OUBLE VENTED SOFFIT	5 METR	ΕL	ENO	ЭTН	IS			
CODE	DESCRIPTION	CO	LOU	R					
		>	ЪG	SAB	SG	DG	AG	BR	B
DV225	225mm S/R Edge	•							
DV300	300mm S/R Edge	٠							
01000				*****					
DV350	350mm S/R Edge	•							



300N	IM FASCIA JOI	NER
CODE	DESCRIPTION	UNIT
FJ342	S/Leg Inline Joint	Each
Availabl	e in white	



600N	IM FASCIA JOI	NER
CODE	DESCRIPTION	UNIT
FJ542	D/Leg Inline Joint	Each
Availabl colour o	e in all standard and v ptions	voodgrain



Fascia corners cover the mitred ends of fascia boards. Use double leg corners with large fascias or when making up box ends.

Fascia joiners are used to cover butt joints in fascia. Use double leg joiners with large fascias or when making up box ends. Finials are an attractive alternative used at gable end peaks.

Always allow a 5mm expansion gap between boards. Fix joiners with polytop pins, super glue or a gap filling adhesive.

#### Refer to page 16 for colour swatches



3001		RIVER
CODE	DESCRIPTION	UNIT
CJ342	Ext. Corner Joint 90°	Each
EJ135	Ext. Corner Joint 135°	Each
Available	e in white	



000111		
CODE	DESCRIPTION	UNIT
CJ542	D/I Corner Joint	Each
Available colour o	e in all standard and s ptions	woodgrain



CODE	DESCRIPTION	UNIT
IJ342	Int. Corner Joint 90°	Each
IJ135	Int. Corner Joint 135°	Each
Availabl	a in all standard and use	ماسسام

Available in all standard and woodgrain colour options



Available in white



ON UNIT
Joint Each

# **FASCIA CORNERS & SOFFIT TRIMS**





CODE	DESCRIPTION	UNIT			
FJ3420	S/Leg Inline Joint	Each			
Available in all standard colour options - see page 16 for swatches					



600M	M OGEE FASCI	A JOINT		
CODE	DESCRIPTION	UNIT		
FJ5420	D/Leg Inline Joint	Each		
Available in all standard colour options - see page 16 for swatches				



300MM CORNER JOINT OGEE					
CODE	DESCRIPTION	UNIT			
CJ3420	S/I Corner Joint	Each			
	in all standard col 16 for swatches	our options -			



600MM CORNER JOINT OGEE					
CODE	DESCRIPTION	UNIT			
CJ5420	D/I Corner Joint	Each			
	in all standard colour 16 for swatches	optionst -			





JOINER	FLAT FASCIA		
LENGTH	CODE	DESCRIP	
iner 600mm	FMFXX	Double Le	
ige 16 for	Available swatche	e in white - s s	



eg Corner Each see page 16 for



CODE DE	SCRIPTION	UNIT			
HSTRJ `J'	Trim	5m			
Available in all standard and woodgrain colour options - swatches on page 16					




FELT EDGE TRIM					
CODE DESCRIPTION	UNIT				
FRTRMW `F' Trim	5m				
Available in white - see page swatches	16 for				



# **ROOFING ANCILLARIES**







Available in all standard colour options see page 16 for swatches



70MM Ø SOFFIT VENT DISC				
CODE	DESCRIPTION	UNIT		
SVD001	Soffit Vent Disc	Each		

Available in white, brown, black, anthracite and caramel.





CODE

ECF1

9	
ACK	FE
UNIT	C
lm	FS
	UNIT






DAMP PROOF COURSE					
CODE	DESCRIPTION	UNIT			
DPC300	300mm DPC	30m			
DPC450	450mm DPC	30m			

Eaves must be ventilated to building regulation standards to ensure adequate airflow

## **SWATCHES**

Standard Colours

16



## Embossed Cladding Colours

Colour name:	White	Pale Gold	Sand	Pale Blue	Argyl Brown	White	Light Oak
BLAKELEY CODE: Add after product code	W	PG	SA	РВ	AB	W	LO
	Slate Grey	Sage Green	Misty Grey	Storm Grey	Colonial Blue	Rosewood	Pine
	SG	SGN	MG	SG	CB	RW	PI

Window Board Colours

## STANDARD CLADDING



Items on this page can be painted any colour. See page 4-5 for more details.



		[
150M	M SHIPLAP	
CODE	DESCRIPTION	UNIT
SC151	Cladding	5m
1	e in white and woodg ge 16 for swatches	grain options

Fix horizontally, vertically or diagonally to exterior surfaces to achieve a strong protective and decorative surface.

Use shiplap or V joint to complement the property.

A 25mm air gap must be maintained to allow air to circulate and a vapour permeable barrier should be used in situations of timber studding or walls which are not fully weather tight.



# **CLADDING INSTALLATION GUIDE**



Illustration of typical horizontal fixing



Fix perimeter frame and intermediate vertical battens to wall.

Fix all perimeter trims.



Fit first plank at base.



Fit remaining planks and engage male part of two part trims.

## EMBOSSED CLADDING



Items on this page can be painted any colour. See page 4-5 for more details.



## **CLADDING TRIMS**



UNIVE	KOAL CHANNEL	
CODE	DESCRIPTION	UNIT
CLULC	Cladding Trim	3m
	cap cladding sides. A	







JNIVERSAL CHANNEL					
CODE	DESCRIPTION	UNIT			
CLULC	Cladding Trim	3m			
	Used to cap cladding sides. Available in all colour and woodgrain options.				



Used to finish corner details. Available in all colour and woodgrain options.



CENTRE JOINT TRIM					
CODE	DESCRIPTION	UNIT			
CLCJT	Cladding Trim	3m			
	join cladding boards Ir and woodgrain opt				



DRIP TRIM				
CODE	DESCRIPTION	UNIT		
CLDRT	Cladding Trim	3m		
	ove window heads to Only available in white			



MULII-	FUNCTION TRIM	
0005	DECODIDITION	

CODE	DESCRIPTION	UNIT
FCD220E	Cladding Trim	3m
Can be use	ed to create corners	, stops and

joiners. Available in embossed cladding colours.



STARTER TRIM					
CODE	DESCRIPTION	UNIT			
CLSTT	Cladding Trim	3m			
	start cladding for a hi ailable in white.	idden fixing.			

-	-	-	-	P.	7	-	-	-	-	-

BUTT .	BUTT JOINT TRIM					
CODE	DESCRIPTION	UNIT				
CLBJT	Butt Joint Trim	Each				
	join cladding boards. Ir and woodgrain opti					

		1	

TOP EDGE TRIM				
CODE	DESCRIPTION	UNIT		
CLTET	Top Edge Trim	3m		
	finish cladding for a l ilable in all colour and			

## **FIXINGS**







30MM CLADDING PIN					
CODE	DESCRIPTION	UNIT			
CLP30	Cladding Pin	250			
30mm stainless steel annular ring suitable for fixing cladding boards and trims. Also used for secret fixing of soffit boards.					

0	1	1
30MM	POLY TOP PIN	
CODE	DESCRIPTION	UNIT
PTP30	Poly Top Pin	250
Available in all colour and woodgrain options - see page 16 for swatches		



40MM	POLY TOP PIN	
CODE	DESCRIPTION	UNIT
PTP40	Poly Top Pin	250
	e in all colour and wo - see page 16 for swo	•

19



DOME CAPS		
CODE	DESCRIPTION	UNIT
DCWW	For 4mm screws	200
DCWW10	For 5&6mm screws	200
Available in white, brown, black and anthracite grey		



50MM	POLY TOP NAI	L
CODE	DESCRIPTION	UNIT
PTN50	Poly Top Nail	100
	e in all colour and w - see page 16 for sv	



65MM	POLY TOP NAIL	
CODE	DESCRIPTION	UNIT
PTN65	Poly Top Nail	100

Available in all colour and woodgrain options - see page 16 for swatches




## **FIXINGS & TOOLS**



-

FRAME FIXINGS		
CODE	DESCRIPTION	UNIT
FF8100	8 x 100mm	100
FF8120	8 x 120mm	100
FF1080	10 x 80mm	100
FF10100	10 x 100mm	100
FF1015	10 x 115mm	100
FF10135	10 x 135mm	100
FF10160	10 x 160mm	100





Y/PASS SCREWS		
CODE	DESCRIPTION	UNIT
YPS3520	3.5 x 20mm	200
YPS3525	3.5 x 25mm	200
YPS3530	3.5 x 30mm	200
YPS3535	3.5 x 35mm	200
YPS3540	3.5 x 40mm	200
YPS3550	3.5 x 50mm	200
YPS420	4 x 20mm	200
YPS425	4 x 25mm	200
YPS430	4 x 30mm	200
YPS435	4 x 35mm	200
YPS440	4 x 40mm	200
YPS445	4 x 45mm	200
YPS450	4 x 50mm	200
YPS4540	4.5 x 40mm	200
	4.5 x 50mm	200
YPS4560	4.5 x 60mm	200
YPS4570	4.5 x 70mm	200
YPS460	4 x 60mm	200
YPS470	4 x 70mm	200
YPS525	5 x 25mm	200
YPS530	5 x 30mm	200
YPS540	5 x 40mm	200
YPS550	5 x 50mm	200
YPS560	5 x 60mm	200
YPS570	5 x 70mm	200
YPS580	5 x 80mm	200
YPS590	5 x 90mm	200
YPS5100	5 x 100mm	200
	Continue	d right

Y/PASS SCREWS		
CODE	DESCRIPTION	UNIT
YPS660	6 x 60mm	200
YPS680	6 x 80mm	200
YPS6100	6 x 100mm	200
YPS6120	6 x 120mm	200
YPS6150	6 x 150mm	200
YPS6180	6 x 180mm	200



BAYPOLE SCREWS		
CODE	DESCRIPTION	UNIT
BPS50	50 x 4.8mm	100
BPS60	60 x 4.8mm	100
BPS70	70 x 4.8mm	100
BPS80	80 x 4.8mm	100



FLAT GLAZING PACKERS

CODE	DESCRIPTION	UNIT
FP1	28 x 1.0mm	1000
FP2	28 x 2.0mm	1000
FP3	28 x 3.0mm	1000
FP4	28 x 4.0mm	1000
FP5	28 x 5.0mm	1000
FP6	28 x 6.0mm	1000
GPM28	Assorted Pk 1-10mm	200



MOON KNIFE		
	DESCRIPTION	UNIT
RC376DI	Moon Knife	Each





HOLE SAW		
CODE	DESCRIPTION	UNIT
HS70	70mm Hole Saw	Each
HSARB1	32-152mm Arbor	Each



THOR HAMMER			
CODE	DESCRIPTION	UNIT	
TH38	Nylon Hammer	Each	
TH0712NF	Nylon Face	Each	
TH0712VF	Plastic Face	Each	








	8 8 3	1 3
SDS MA	SONRY DRILL BIT	S
CODE	DESCRIPTION	UN
SDS516	5mm x 160mm	Eac
SDS5516	5.5mm x 160mm	Eac
SDS616	6mm x 160mm	Eac
SDS7210	7mm x 210mm	Eac
SDS821	8mm x 210mm	Eac

KNIFE WITH HOLSTER

 CODE
 DESCRIPTION
 UNIT

 SK2
 Knife with Holster
 Each



STANLEY KNIFE BLADES		
CODE DESCRIPTION UNIT		
SKB	Knife Blades	Pk 10



HSS DRILL BITS			
CODE	DESCRIPTION	UNIT	
HSS5	5mm HSS Drill Bit	Each	
HSS6	6mm HSS Drill Bit	Each	
HSS7	7mm HSS Drill Bit	Each	
HSS8	8mm HSS Drill Bit	Each	
HSS9	9mm HSS Drill Bit	Each	
HSS10	10mm HSS Drill Bit	Each	
HSS11	11mm HSS Drill Bit	Each	
HSS12	12mm HSS Drill Bit	Each	
HSS13	13mm HSS Drill Bit	Each	

# TOOLS, CLEANING & ACCESS



BUCKETS		
CODE	DESCRIPTION	UNIT
BU3B	3 Gallon Bucket Black	Each
GOR42	42L Medium Gorilla Bucket	Each
GOR75	75L Large Gorilla Bucket	Each




DRUSHES		
CODE	DESCRIPTION	UNIT
B24B	24" Bass Broom with Handle	Each
B24C	Coco Broom complete with Handle	Each
BDRR	Dustpan & Brush Set	Each



REFUSE DISPOSAL		
CODE	DESCRIPTION	UNIT
BSACK	Black Refuse Sacks	200
BIN90	90L Dustbin	Each
CDS129	Cotton Dust Sheets	Each




CODE	DESCRIPTION	UNIT
BR630	Blue Polyprop Rope 6mm	30m
51SH	5m Mini Ratchet Strap	Pk 2
4PACK	5m Mini Ratchet Strap	Pk 4
30406	Asstd. Bungee Strap	Pk 6
304010	Asstd. Bungee Strap	Pk 10





UNIVERSAL SAW 8 TPI		
CODE	DESCRIPTION	UNIT
JACK880	20" Saw	Each
JACK990	22" Saw	Each





## **CLOTHING & PPE**



FIRST AID PRODUCTS		
CODE	DESCRIPTION	UNIT
FAK10P	10 Person First Aid Kit	Each
EWS	Eye Wash Station	Each
ASPL150	Assorted Plasters	Box



DUST MASKS		
CODE	DESCRIPTION	UNIT
DM8822	8822 Dust Mask FFP2	Each
DMCOM	Comfort Mask	Pk50



EYE PROTECTION		
DESCRIPTION	UNIT	
Safety Goggles	Each	
Safety Glasses	Each	
	Safety Goggles	



# EAR PROTECTIONCODEDESCRIPTIONUNITEDEar DefendersEachEPEar PlugsPk 10





Huge range of PPE available for overnight delivery. Please ask for more details.



		•••••
LMSBL	Black	310ml
LMSCA	Caramel	310ml
LMSCL	Clear	310ml
LMSMA	Mahogany	310ml
LMSWH	White	310ml
Huge range of RAL colours available,		

please ask for more details.



CODE	DESCRIPTION	UNIT
EFGUN	Gun	Each

insulate window	P	VC PATIBLE
EXPAN	IDING FOAM	
CODE	DESCRIPTION	UNIT
EXFOM	Hand Held Canister	750ml
EXFRF	Gun Grade Refill	750ml







300ml

SILSCGBL Black Silicone

PVC COMPATIBLE	
TREME	

UNIT

310ml

310ml

 COX SKELETON GUN

 CODE
 DESCRIPTION
 UNIT

 CXSGN
 C3 Cartridge
 Each



**M/PURPOSE ADHESIVE & SEALANT** 

DESCRIPTION

CODE

SE310WH White

SE310CL Clear



NON DRIP SKELETON GUN		
CODE	DESCRIPTION	UNIT
NDSGN	C3 Cartridge	Each
NDSGN12/26	C3/Resin Cart.	Each
NDSGN26	C3 Cartridge	Each

# SILICONE, ADHESIVES & CLEANERS





PAPER HAND TOWEL		
CODE	DESCRIPTION	UNIT
PHTWL	Paper Towel	Roll







PVC CREAM CLEANER			
CODE DESCRIPTION UNIT			
PCRCLNR	Cream Cleaner	1L	



CODE	DESCRIPTION	UNIT
WGCLNR	Glass Cleaner	1L







## LAMINATED WINDOW BOARDS

Items on this page can be painted any colour. See page 4-5 for more details.

Window Boards are 22mm thick and have a melamine laminate finish, bonded to a P3 moisture resistant chipboard core.



Refer to page 16 for colour swatches

- Suitable for most window and conservatory applications
- Heat resistant and easy to fit
- Scratch and abrasion resistant
- No painting or finishing required
- Available in five finishes and a range of 8 widths



LAMINATED WINDOW BOARD 5 METRE LENGTHS				
CODE	SIZE W x D	COLOUR		
		LO RW PI		
WB150	150mm x 22mm	• • • •		
WB180	180mm x 22mm	• • •		
WB200	200mm x 22mm	• • • •		
WB225	225mm x 22mm	• • • •		
WB250	250mm x 22mm	• • • •		
WB300	300mm x 22mm	• • • •		
WB600	600mm x 22mm	• • • •		

#### **PVC ROUND NOSE FASCIA/WINDOW BOARD**

900mm x 22mm

CODE	DESCRIPTION	UNIT	COL
09150R	150mm Single Leg	5m	
09175R	175mm Single Leg	5m	
09200R	200mm Single Leg	5m	
09225R	225mm Single Leg	5m	
09250R	250mm Single Leg	5m	
09400R	405mm Double Leg	5m	
BM09R	Large End Caps	Each	





WINDO\	N BOARD END CAPS	
CODE	DESCRIPTION	UNIT
KBECW	White End Cap	Each
KBELO	Light Oak End Cap	Each
KBEWG	Brown End Cap	Each



WB900

CODE	DESCRIPTION	UNII
KBEMSW	White External Mitre Joint	Each
KBEMSLO	Light Oak External Mitre Joint	Each
KBEMSWG	Brown External Mitre Joint	Each

One end 90° Other end 135°		
WINDOW BOARD INTERNAL MITRE JOINT		JOINTS
CODE	DESCRIPTION	UNIT
KBMSW	White Internal Mitre Joint	Each
KBMSLO	Light Oak Internal Mitre Joint	Each
KBMSWG	Brown Internal Mitre Joint	Each

T 01722 323 814 E sales@blakeleyp.com W www.blakeleyp.com

## **SHOWER PANELS**



Items on this page can be painted any colour. See page 4-5 for more details.




## **SHOWER PANELS**




GE7 1000mm PVC Wide Panel Each For colour swatches see page 27





FINISHIN	NG TRIMS FOR 10MM PAN	ELS		
CODE	DESCRIPTION	UNIT	COLOUR	
GET7UT	PVC End `U' 2.4m	Each		
GET7EC	PVC External Corner 2.4m	Each		
GET7IC	PVC Internal Corner 2.4m	Each		
GET7HT	PVC `H' Joiner 2.4m	Each		
GET7BC	PVC Base Seal 2.4m	Each		



#### FINISHING TRIMS FOR 5MM PANELS

CODE	DESCRIPTION	UNIT	COLOUR
GET8UT	PVC End `U' 2.4m	Each	
GET8EC	PVC External Corner 2.4m	Each	
GET8IC	PVC Internal Corner 2.4m	Each	
GET8HT	PVC 'H' Joiner 2.4m	Each	
GET8BC	PVC Base Seal 2.4m	Each	
GET8SM	Scotia Moulding 2.4m	Each	
GET8BC	Decor Clip In 2.4m	Each	



See page 27 for swatches.

# INTERNAL WALL CLADDING



Items on this page can be painted any colour. See page 4-5 for more details.









ZE UNI	T COLOUR
ām Eac	h
n Eac	h
	ām Eac







For use where a high level of hygiene is required. Available in different finishes for each individual job - anti-microbial, food safe or simply wipe clean.

29

Ideally suited to:

- Hospitals
- Vets
- Surgeries
- Schools
- Commercial Kitchens
- Hotels
- Swimming Baths
- Laboratories



## WINDOW TRIMS





ARCHITRAVE				
DESCRIPTION	UNIT	COLOUR		
45mm Architrave	5m	Available in white and all woodgrain		
65mm Architrave	5m	options - see page 16 for swatches		
95mm Architrave	5m			
	DESCRIPTION 45mm Architrave 65mm Architrave	DESCRIPTIONUNIT45mm Architrave5m65mm Architrave5m		

QUADRANT			
CODE	DESCRIPTION	UNIT	COLOUR
QUA12	12mm Quadrant	5m	Available in white and all woodgrain
QUA19	19mm Quadrant	5m	options - see page 16 for swatches



EDGE FILLET			
CODE	DESCRIPTION	UNIT	COLOUR
EDGFT	20mm Edge Fillet	5m	Available in white and standard
EDG28	28mm Edge Fillet	5m	woodgrain - see page 16



Alter C				
HOLLOW	A COLOR			
CODE	DESCRIPTION	UNIT	COLOUR	
AH180	100x80mm	5m	Available in white and std woodgrain options - see page 16	

## WINDOW TRIMS



RIGID ANGLE				
CODE	DESCRIPTION	UNIT	COLOUR	
AR252	25x25mm	5m	Available in white and all standard	
AR402	40x40mm	5m	woodgrain options - see page 16 for swatches	
AR502	50x50mm	5m		
AAR602	60x60mm	5m	Available in white	
AR802	80x80mm	5m		
AR100	100x100mm	5m		



Glue to a window frame for a 10mm board to engage into.

WINDOW BOARD CHANNEL				
	CODE	DESCRIPTION	UNIT	COLOUR
1	WBC15	10x15mm	5m	Available in white



### FLEXI ANGLE


CODE	DESCRIPTION	UNIT	COLOUR
AF252	25x25mm	5m	Available in white
AF352	35x35mm	5m	
AF502	50x50mm	5m	Available in white
AF752	75x75mm	5m	

# 112mm HALF ROUND GUTTER SYSTEM

32



Items on this page can be painted any colour. See page 4-5 for more details.



# 112mm HALF ROUND GUTTER SYSTEM



Items on this page can be painted any colour. See page 4-5 for more details.





CODE UNIT COLOUR

Each

R02

The Rainwater section starts with PVCu and leads on to Cast Iron Style, Cast Iron, Aluminium and Galvanised Steel. With large stocks on our shelves we can fulfil most requirements within 24 hours. However, should your project need a more original look we can source alternative types to your satisfaction.







**68MM DOWNPIPE ROUND** 

CODE	UNIT	COLOUR
RP2.5	2.5m	
RP4	4m	
RP5.5	5.5m	






ROUND

33





# **Gutter Carrying Capacities**



Roof Area (M<sup>2</sup>) = A +  $\frac{B}{2}$  x Length of Roof


	Outlet at end of gutter run				Outlet at centre of gutter run			
	Gutter Fixed Level		Gutter Fixed @ 1:350 Fall		Gutter Fixed Level		Gutter Fixed @ 1:350 Fall	
	Gutter Flow I/s	Roof Area M <sup>2</sup>	Gutter Flow I/s	Roof Area M <sup>2</sup>	Gutter Flow I/s	Roof Area M <sup>2</sup>	Gutter Flow I/s	Roof Area M <sup>2</sup>
1/2 Round	0.92	44	1.17	56	1.80	86	2.60	125
Square	1.70	81	2.00	96	3.14	163	3.95	189
Deepflow	2.05	98	2.56	123	3.80	183	5.00	240
Ogee	2.40	115	2.90	139	4.50	216	5.30	254
Commercial	4.30	206	6.20	297	8.62	413	12.40	594

Note: A rainwater system is suitable as long as the carrying capacity exceeds the calculated run off.

# 112mm HALF ROUND GUTTER SYSTEM




Items on this page can be painted any colour. See page 4-5 for more details.






Items on this page can be painted any colour. See page 4-5 for more details.



# 114mm SQUARE LINE GUTTER SYSTEM



Items on this page can be painted any colour. See page 4-5 for more details.



RAN1

Each



Items on this page can be painted any colour. See page 4-5 for more details.

OGEE System

37





One of the highest capacity domestic rainwater systems available.

An attractive choice for properties new and old. Use square or round pipe and fittings.





 135° ANGLE INTERNAL OGEE

 CODE
 UNIT
 COLOUR

 RAN3
 Each
 Image: Colour and the second second





135° ANGLE EXTERNAL OGEE CODE UNIT COLOUR RAN4 Each

RAINWATER GOODS COLOURS:

BLAKELEY CODE:

W

BL

Add after product code

BR

AG



EXTERNAL STOPEND L/H OGEE CODE UNIT COLOUR REN1 Each



# 110x80mm OGEE GUTTER SYSTEM



			Fix at min. 800mm centres
EXTERNAL STOPEND R/H OGEE	INTERNAL STOPEND L/H OGEE	INTERNAL STOPEND R/H OGEE	FASCIA BRACKET OGEE
CODE UNIT COLOUR	CODE UNIT COLOUR	CODE UNIT COLOUR	CODE UNIT COLOUR
REN2 Each	REN3 Each	REN4 Each	RKN1 Each
<i>i</i> Fix at min. 800mm centres	GUTTER UNION OGEE	RUNNING OUTLET OGEE	L/H STOPEND OUTLET OGEE
CODE UNIT COLOUR	CODE UNIT COLOUR	CODE UNIT COLOUR	CODE UNIT COLOUR
RKN2 Each	RUN1 Each	RON1 Each	RON2 Each






# 115mm DEEPFLOW GUTTER SYSTEM W



Items on this page can be painted any colour. See page 4-5 for more details.



# 115mm DEEPFLOW GUTTER SYSTEM 🖤 170mm COMMERCIAL RAINWATER 🖤


80MM PIPE	92.5° OFFSET BEND 80MM		
CODE UNIT COLOUR	CODE UNIT COLOUR	Support min. every 600mm	<u> </u>
RPH4 4m	RBH1 Each	170MM COMMERCIAL GUTTER	90° ANGLE
		CODE UNIT COLOUR	CODE UNIT COLOUR
		RGX4 4m	RAX1 Each
112.5° OFFSET BEND 80MM	SHOE 80MM		
CODE UNIT COLOUR	CODE UNIT COLOUR	-	
RBH2 4m	RBH3 Each		
PIPE CLIP - SINGLE FIX 80MM	HOPPER 80MM	EXTERNAL STOPEND CODE UNIT COLOUR REX1 Each	INTERNAL STOPEND CODE UNIT COLOUR REX2 Each
CODE UNIT COLOUR	CODE UNIT COLOUR		
RCH3 4m	RHH1 Each	Support min. every 1000mm	
		FASCIA BRACKET	GUTTER UNION
SOCKET 80MM	67.5° OFFSET BRANCH 80MM	CODE UNIT COLOUR	CODE UNIT COLOUR
CODE UNIT COLOUR	CODE UNIT COLOUR	RKX1 Each	RUX1 Each
RSH1 4m	RYH1 Each		
RAINWATER GOODS COLOURS:		RAINWATER GOODS COLOURS:	
BLAKELEY CODE: Add after product code		BLAKELEY CODE: Add after product code	Items on this page can be
			painted any colour. See page 4-5 for more details.
W BL BR GR A	AG	W BL GR	

# 170mm COMMERCIAL RAINWATER



Items on this page can be painted any colour. See page 4-5 for more details.

41



T 01722 323 814 E sales@blakeleyp.com W www.blakeleyp.com

**DOWNPIPE SHOE** CODE UNIT COLOUR SP161A Each

RAINWATER GOODS COLOURS:

BLAKELEY CODE: Add after product code







92.5° BRANCH CODE UNIT COLOUR SP190 Each



CODE	UNIT	COLOUR
SP169	Each	



Cost Effective Solution...

A highly cost effective low maintenance rainwater option. We stock a comprehensive range to suit any scale of construction from garden sheds to industrial warehousing.










CODE	UNIT	COLOUR
CU5R	Each	






Specify when ordering. Lead times apply.

# 115mm CAST IRON STYLE DEEPFLOW SYSTEM W



Items on this page can be painted any colour. See page 4-5 for more details.



# 106x70mm CAST IRON STYLE OGEE



CAST IRON STYLE OGEE

Items on this page can be painted any colour. See page 4-5 for more details.





**FASCIA BRACKET** COLOUR CODE UNIT CBOG Each

**GUTTER UNION** CODE UNIT COLOUR CUOG Each



**RUNNING OUTLET** CODE UNIT COLOUR CROG Each

An innovative product where a low-maintenance, easy to install rainwater system is required. Connects to 63mm round and 65mm downpipe systems and a good range of realistic cast iron-style hoppers.





EXTERNAL STOPEND LH/RH			
CODE	DESC	UNIT	COLOUR
CLEOG	Left Hand	Each	
CREOG	<b>Right Hand</b>	Each	

Also available in the following colours:

Specify when ordering. Lead times apply.



CODE	DESC	UNIT	COLOUR
C910G	Internal	Each	
C9EOG	External	Each	

White




	CODE	DESC	UNIT	COLOUR
	C110G	Internal	Each	
	C1EOG	External	Each	

Olive Green Graphite Oxford Anthracite Porcelain Sandstone Blue Grey Grey

# **CAST IRON STYLE HOPPERS**




Items on this page can be painted any colour. See page 4-5 for more details.



# CAST IRON STYLE PIPE & FITTINGS





# CAST IRON STYLE PIPE & FITTINGS



CAST IRON STYLE PIPE 47

**& FITTINGS** 

Items on this page can be painted any colour. See page 4-5 for more details.





Each

A lightweight, cost effective, low maintenance solution with aesthetic appeal. Ideally suited to period properties in rural settings.





BMPLO Each

BM12H 112°







CODE UNIT COLOUR BMCLP Each



Also available in the following colours:


Specify when ordering. Lead times apply.



ord	A
Ð	G

nthracite rey

# **RAINWATER ANCILLARIES**



RAINWATER GOODS COLOURS:

BLAKELEY CODE: Add after product code

GR

BR

BL

W

T 01722 323 814 E sales@blakeleyp.com W www.blakeleyp.com


GB4M150BL 4m

GB4M200BL 4m

# **RAINWATER ANCILLARIES**



**49** 





RAINWATER GOODS COLOURS:

BLAKELEY CODE:

Add after product code





Left Hand

Each

RNR4



CODE	DESC	UNIT COLOUR
RNS3	Right Hand	Each
RNS4	Left Hand	Each



CODE	DESC	UNIT	COLOUR
RD3	RH OGEE	Each	
RD4	LH OGEE	Each	
RD5	1/2RND C/IRON	Each	

# HALF ROUND CAST IRON GUTTER SYSTEMS



Items on this page can be painted any colour. See page 4-5 for more details.



HG406FT	HG406FTPA
HG456FT	HG456FTPA
HG506FT	HG506FTPA
HG606FT	HG606FTPA
	HG456FT HG506FT



SIZE	CODE PRIMED	CODE PAINTED
100mm (4")	HG40UC	HG40UCPA
113mm (4½″)	HG45UC	HG45UCPA
125mm (5″)	HG50UC	HG50UCPA
150mm (6″)	HG60UC	HG60UCPA



INTERNAL STOPEND			
SIZE	CODE PRIMED	CODE PAINTED	
100mm (4")	HG40SEI	HG40SEIPA	
113mm (4½″)	HG45SEI	HG45SEIPA	
125mm (5")	HG50SEI	HG50SEIPA	
150mm (6")	HG60SEI	HG60SEIPA	



**CODE PRIMED** 

HG40SEE

HG45SEE

HG50SEE

HG60SEE

**CODE PAINTED** 

**HG40SEEPA** 

HG45SEEPA

**HG50SEEPA** 

HG60SEEPA

#### 90° ANGLE DOUBLE SOCKET

**EXTERNAL STOPEND** 

SIZE

100mm (4")

125mm (5")

150mm (6")

113mm (4½")

SIZE	CODE PRIMED	CODE PAINTED
100mm (4")	HG40A9	HG40A9PA
113mm (4½″)	HG45A9	HG45A9PA
125mm (5″)	HG50A9	HG50A9PA
150mm (6")	HG60A9	HG60A9PA



135° ANGLE DOUBLE SOCKET			
SIZE	CODE PRIMED	CODE PAINTED	
100mm (4")	HG40A13	HG40A13PA	
113mm (4½″)	HG45A13	HG45A13PA	
125mm (5″)	HG50A13	HG50A13PA	
150mm (6")	HG60A13	HG60A13PA	



SIZE	CODE PRIMED	CODE PAINTED	
100mm (4")	HG40DE25E	HG40DE25EPA	
113mm (4½″)	HG45DE25E	HG45DE25EPA	
125mm (5")	HG50DE25E	HG50DE25EPA	

#### STOPEND OUTLET EXTERNAL 76MM

SIZE	CODE PRIMED	CODE PAINTED
100mm (4")	HG40DE30E	HG40DE30EPA
113mm (4½″)	HG45DE30E	HG45DE30EPA
125mm (5")	HG50DE30E	HG50DE30EPA

#### **STOPEND OUTLET INTERNAL 63MM**

SIZE	CODE PRIMED	CODE PAINTED
100mm (4")	HG40DE25I	HG40DE25IPA
113mm (4½″)	HG45DE25I	HG45DE25IPA
125mm (5")	HG50DE25I	HG50DE25IPA

#### STOPEND OUTLET INTERNAL 76MM

SIZE	CODE PRIMED	CODE PAINTED
100mm (4")	HG40DE30I	HG40DE30IPA
113mm (4½")	HG45DE30I	HG45DE30IPA
125mm (5")	HG50DE30I	HG50DE30IPA

#### RAL Colour:

Specify When Ordering

RAL 3009	RAL 3020	RAL 5010	RAL 6005	RAL 7016
RAL 8015	RAL 9005	RAL 9016		

# HALF ROUND CAST IRON GUTTER SYSTEMS



Items on this page can be painted any colour. See page 4-5 for more details.



SIZE	CODE PRIMED	CODE PAINTED	
100mm (4")	HG40R030	HG40R030PA	
113mm (4½″)	HG45R030	HG45RO30PA	
125mm (5")	HG50R030	HG50R030PA	
150mm (6")	HG60R030	HG60R030PA	

#### **RUNNING OUTLET - D/SOCKET 102MM** SIZE ITED 125 OPA

SIZE	CODE PRIMED	CODE PAINTED
125mm (5")	HG50RO40	HG50RO40PA
150mm (6")	HG60RO40	HG60R040PA

FASCIA BRACKET CAST IRON				
CODE PRIMED	CODE PAINTED			
HG40FBCI	HG40FBCIPA			
HG45FBCI	HG45FBCIPA			
HG50FBCI	HG50FBCIPA			
HG60FBCI	HG60FBCIPA			
	CODE PRIMED HG40FBCI HG45FBCI HG50FBCI			



UILL	OODE I KIMED	OODE I AINTED
100mm (4")	HG40FBCI	HG40FBCIPA

		AS RI	
FASCIA B	RACKET GA	LVANISED	STEEL
SIZE		CODE	

51

SIZE	CODE
100mm (4")	HG40FBGS
113mm (4½″)	HG45FBGS
125mm (5″)	HG50FBGS
150mm (6")	HG60FBGS

	V				Ţ
RAFTER BRACK	ET SIDE FIX	<b>RAFTER BRACKE</b>	T TOP FIX	<b>DRIVE IN RISE &amp;</b>	FALL BRACKET
SIZE	CODE GALV	SIZE	CODE GALV	SIZE	CODE GALV
100mm (4")	HG40RBSF	100mm (4")	HG40RBTF	100mm (4")	HG40R&FGS
113mm (4½″)	HG45RBSF	113mm (4½″)	HG45RBTF	113mm (4½″)	HG45R&FGS
125mm (5″)	HG50RBSF	125mm (5")	HG50RBTF	125mm (5″)	HG50R&FGS
150mm (6")	HG60RBSF	150mm (6")	HG60RBTF	150mm (6")	HG60R&FGS

	Y
6	1
Complete with Stay	1

#### **DRIVE IN RISE & FALL BRACKET**

SIZE	CODE GALV
100mm (4")	HG40R&FWS
113mm (4½″)	HG45R&FWS
125mm (5")	HG50R&FWS
150mm (6")	HG60R&FWS

# VICTORIAN OGEE CAST IRON GUTTER SYSTEMS



Items on this page can be painted any colour. See page 4-5 for more details.



 Size
 CODE PRIMED
 CODE PAINTED

 113mm (4½\*)
 0G456FT
 0G456FTPA

 125mm (5\*)
 0G506FT
 0G506FTPA



UNION CLIPS				
SIZE	CODE PRIMED	CODE PAINTED		
113mm (4½″)	OG45UC	OG45UCPA		
125mm (5")	OG50UC	OG50UCPA		



SIZE	CODE PRIMED	CODE PAINTED		
113mm (4½″)	OG45SELE	OG45SELEPA		
125mm (5")	OG50SELE	OG50SELEPA		
113mm (4½″)	OG45SERE	OG45SEREPA		
125mm (5")	OG50SERE	OG50SEREPA		



INTERNAL STOPEND LEFT HAND			
SIZE	CODE PRIMED	CODE PAINTED	
100mm (4")	OG40SELI	OG40SELIPA	
113mm (4½″)	OG45SELI	OG45SELIPA	



INTERNAL/EXTERNAL 90° ANGLE			
SIZE	CODE PRIMED	CODE PAINTED	
113mm (4½″)	0G45IA90	OG45IA90PA	
125mm (5")	0G50IA90	OG50IA90PA	
113mm (4½″)	0G45EA90	OG45EA90PA	
125mm (5")	OG50EA90	OG50EA90PA	



INTERNAL/EXTERNAL 135° ANGLE			
SIZE	CODE PRIMED	CODE PAINTED	
113mm (4½″)	0G45IA135	0G45IA135PA	
125mm (5″)	0G50IA135	OG50IA135PA	
113mm (4½″)	0G45EA135	OG45EA135PA	
125mm (5")	OG50EA135	OG50EA135PA	

115		12			
6	-	-	0		
STR	5	100	and a		- 01
				Constant of	
RAL Colou	:				
Specify Wh	nen Orde	ring			
RAL 3009 F	AL 3020	RAL 5010	RAL 6005	RAL 7016	

RAL 8015 RAL 9005 RAL 9016

# VICTORIAN OGEE CAST IRON GUTTER SYSTEMS



Later				
FASCIA BRACKET CAST IRON				
SIZE C	ODE PRIMED	CODE PAINTED		
113mm (4½″)	OG45FBCI	OG45FBCIPA		
125mm (5")	OG50FBCI	OG50FBCIPA		

#### Areas largest stockist of Cast Iron Fittings...

We offer the most comprehensive range of Cast Iron rainwater goods in the South of England. Choose from any RAL colour and order your guttering and down pipes pre-painted, saving you time and money! We source our products from a range of suppliers, guaranteeing you the best possible price and quality.



53

1	18 .		
100			N
		1	


FASCIA BRAG	CKET GALVANI	SED STEEL
SIZE	CODE PRIMED	CODE PAINTED
113mm (4½″)	OG45FBGS	N/A
125mm (5″)	OG50FBGS	N/A







**DRIVE IN RISE & FALL BRACKET** SIZE CODE PRIMED CODE PAINTED 113mm (4½″) OG45R&FGS N/A 125mm (5") OG50R&FGS N/A



T 01722 323 814 E sales@blakeleyp.com W www.blakeleyp.com



ROUND CAST	IRON PIPE EAR	ED	
SIZE Ø	LENGTH	CODE PRIMED	CODE PAINTED
63mm (2½″)	1.8m (6′)	P256FT	P256FTPA
63mm (2½″)	0.9m (3′)	P253FT	P253FTPA
75mm (3″)	1.8m (6′)	P306FT	P306FTPA
75mm (3″)	0.9m (3′)	P303FT	P303FTPA
100mm (4")	1.8m (6′)	P406FT	P406FTPA
100mm (4")	0.9m (3')	P403FT	P403FTPA





SIZE Ø	CODE PRIMED	CODE PAINTED
63mm (2½″)	P25SHE	P25SHEPA
75mm (3″)	P30SHE	P30SHEPA
100mm (4")	P40SHE	P40SHEPA



ROUND CAST	IRON SOCKET E	ARED
SIZE Ø	CODE PRIMED	CODE PAINTED
63mm (2½″)	P25S0C	P25SOCPA
75mm (3″)	P30SOC	P30SOCPA
100mm (4")	P40SOC	P40SOCPA

92.5° ROUND CAST	IRON BEN	112.5°	135°
SIZE Ø	ANGLE	CODE PRIMED	CODE PAINTED
63mm (2½″)	92.5°	P25B92	P25B92PA
75mm (3″)	92.5°	P30B92	P30B92PA
100mm (4")	92.5°	P40B92	P40B92PA
63mm (2½″)	112.5°	P25B112	P25B112PA
75mm (3″)	112.5°	P30B112	P30B112PA
100mm (4")	112.5°	P40B112	P40B112PA
63mm (2½″)	135°	P25B135	P25B135PA
75mm (3″)	135°	P30B135	P30B135PA
100mm (4")	135°	P40B135	P40B135PA



ROUND CAST	<b>IRON BRANCHE</b>	S	
SIZE Ø	ANGLE	CODE PRIMED	CODE PAINTED
63mm (2½″)	92.5°	P25BR92	P25BR92PA
75mm (3″)	92.5°	P30BR92	P30BR92PA
100mm (4")	92.5°	P40BR92	P40BR92PA
63mm (2½″)	112.5°	P25BR112	P25BR112PA
75mm (3″)	112.5°	P30BR112	P30BR112PA
100mm (4")	112.5°	P40BR112	P40BR112PA
63mm (2½″)	135°	P25BR135	P25BR135PA
75mm (3″)	135°	P30BR135	P30BR135PA
100mm (4")	135°	P40BR135	P40BR135PA

Items on this page can be painted any colour. See page 4-5 for more details.



#### **ROUND CAST IRON 112.5° OFFSET BENDS**

SIZE Ø	OFFSET	CODE PRIMED	CODE PAINTED
63mm (2½″)	76mm (3″)	P250F03	P250F03PA
63mm (2½″)	114mm (4″)	P250F04	P250F04PA
63mm (2½″)	152mm (6″)	P250F06	P250F06PA
63mm (2½″)	228mm (9")	P250F09	P250F09PA
63mm (2½″)	304mm (12")	P250F12	P250F12PA
63mm (2½″)	381mm (15")	P250F15	P250F15PA
63mm (2½″)	457mm (18")	P250F18	P250F18PA
63mm (2½″)	533mm (21")	P250F21	P250F21PA
63mm (2½″)	609mm (24")	P250F24	P250F24PA
63mm (2½″)	685mm (27")	P250F27	P250F27PA
63mm (2½″)	762mm (30")	P250F30	P250F30PA
75mm (3″)	76mm (3″)	P300F03	P300F03PA
75mm (3″)	114mm (4″)	P300F04	P300F04PA
75mm (3″)	152mm (6")	P300F06	P300F06PA
75mm (3″)	228mm (9")	P300F09	P300F09PA
75mm (3″)	304mm (12")	P300F12	P300F12PA
75mm (3″)	381mm (15")	P300F15	P300F15PA
75mm (3″)	457mm (18")	P300F18	P300F18PA
75mm (3″)	533mm (21")	P300F21	P300F21PA
75mm (3″)	609mm (24")	P300F24	P300F24PA
75mm (3″))	685mm (27")	P300F27	P300F27PA
75mm (3″)	762mm (30")	P300F30	P300F30PA
100mm (4")	76mm (3″)	P400F03	P400F03PA
100mm (4")	114mm (4″)	P400F04	P400F04PA
100mm (4")	152mm (6″)	P400F06	P400F06PA
100mm (4")	228mm (9")	P400F09	P400F09PA
100mm (4")	304mm (12")	P400F12	P400F12PA
100mm (4")	381mm (15")	P400F15	P400F15PA
100mm (4")	457mm (18")	P400F18	P400F18PA
100mm (4")	533mm (21")	P400F21	P400F21PA
100mm (4")	609mm (24")	P400F24	P400F24PA
100mm (4")	685mm (27")	P400F27	P400F27PA
100mm (4")	762mm (30")	P400F30	P400F30PA

Areas largest stockist of Cast Iron Fittings... We offer the most comprehensive range of Cast Iron rainwater goods in the South of England. Choose from any RAL colour and order your guttering and down pipes pre-painted, saving you time and money! We source our products from a range of suppliers, guaranteeing you the best possible price and quality.



CAST IRON R	ECTANGULAR SM	IALL HOPPER
SIZE Ø	CODE PRIMED	CODE PAINTED
63mm (2½″)	HH00225	HH00225PA
75mm (3″)	HH00230	HH00230PA
100mm (4")	HH00240	HHOO240PA
CAST IDON D		

SIZE Ø	CODE PRIMED	CODE PAINTED
63mm (2½″)	HH00325	HH00325PA
75mm (3″)	HH00330	HHOO330PA
100mm (4")	HH00340	HHOO340PA

CAST IRON O	GEE HOPPER FLA	AT BACK
SIZE Ø	CODE PRIMED	CODE PAINTED
63mm (2½″)	HH00125F	HH00125FPA
75mm (3″)	HH30130F	HH30130FPA
100mm (4")	HH40140F	HH40140FPA

CAST IRON O	GEE CORNER HO	PPER
SIZE Ø	CODE PRIMED	CODE PAINTED
63mm (2½″)	HH00125C	HHO0125CPA
75mm (3″)	HH30130C	HH30130CPA
100mm (4")	HH40140C	HH40140CPA







# **SOIL & WASTE**











SP4

SP274

4m Pipe





Access Pipe Socket/Spigot

SP275 Access Pipe Socket/Solvent Socket

<b>T</b> 01722 323 814	sales@blakeleyp.com	W www.blakeleyp.com




CODE	DESCRIPTION	COLOUR
SP161	92.5° (87.5°) Socket & Spigot	
SP561	92.5° (87.5°) Double Socket	
SP162	112.5° (67.5°) Socket & Spigot	
SP163	135° (45°) Socket & Spigot	











# SOIL & WASTE PIPE/FITTINGS

	EY CODE: fter product code	
Add di	lier product code	
w	BL GR	
UNIV	<b>ERSAL PIPE CONNECT</b>	OR
CODI	E DESCRIPTION COLO	UR
SP140	0 Adapts to soil/clay/Cl, drai	nage
SH FIT) IUR	<b>D</b> 95	FSURA
SP95	JCERS	SP96
	E DESCRIPTION COL	
SP95		
/ELD SP96		
0100	110x82mm Soil	
D95		)mm
	A Uni Rainwater Adaptor (Sq/R	
D97	80x110mm Adaptor	,

# **POLYCARBONATE SHEETING**

#### SHEET SIZES

58

STANDARD LENGTHS (MM) STANDARD WIDTHS (MM) STANDARD THICKNESSES (MM) 2000,2500,3000,3500,4000,4500, 5000, 7000 700, 1050, 1200, 1400, 2100 10, 16, 25, 35

# POLYCARBONATE Sheeting

Ċ

25 g

16mm Triplewall

Can be cut to size - please ask



CL

1 11

OP BR

## SELF SUPPORTING GLAZING SYSTEM



WALLPLATE			
CODE	DESC	UNIT	COLOUR
WP3	Wallplate	3m	
WP4	Wallplate	4m	
WP6	Wallplate	6m	

EAVES BEAM LOW PITCH			
CODE	DESC	UNIT	COLOUR
EA3	Low Pitch	3m	
EA4	Low Pitch	4m	
EA6	Low Pitch	6m	

EAVES	BEAM HEA	VY DL	ITY
CODE	DESC	UNIT	COLOUR
EAHD3	Heavy Duty	3m	
EAHD4	Heavy Duty	4m	
EAHD6	Heavy Duty	6m	

GUTTER PACK			
CODE	DESC	UNIT	COLOUR
GUT4	Gutterpack	4m	
GUT8	Gutterpack	8m	

Finishes:

10 A 10 A 10	-	

BLAKELEY CODE:
Add after product code

-	
RW	WH

Rosewood White


END CAPS			
CODE	DESC	UNIT	COLOUR
ECEC	Economy	Each	
HDEC	Heavy Duty	y Each	

EDGE BAR			
CODE	DESC	UNIT COLOUR	
ED20	Incl End Cap	2m	
ED25	Incl End Cap	2.5m	
ED30	Incl End Cap	3m	
ED35	Incl End Cap	3.5m	
ED40	Incl End Cap	4m	
ED60	Incl End Cap	6m	

#### GLAZING BAR (SELF SUPPORT)

CODE	DESC	UNIT COLOUR
EC020	Eco Incl End Cap	2m
EC025	Eco Incl End Cap	2.5m
EC030	Eco Incl End Cap	3m
HD30	H/duty Incl End Cap	3m
HD35	H/duty Incl End Cap	3.5m
HD40	H/duty Incl End Cap	4m 🔛
HD60	H/duty Incl End Cap	6m

## **RAFTER SUPPORTING GLAZING SYSTEM**



RAFTER BAR BRIDGING			
CODE	DESC	UNIT	COLOUR
RBBDG	Bridging Cap	Each	
LEAN TO FLASHING TRIM			
LEAN	TO FLASHING	<b>FRIN</b>	
LEAN CODE			COLOUR
		UNIT	

RAFTER SUPPORT BARS				
CODE	DESC	UNIT	COLOUR	
RB20	Incl End Cap	2m		
RB25	Incl End Cap	2.5m		
RB30	Incl End Cap	3m		
RB40	Incl End Cap	4m		
RB50	Incl End Cap	5m		
RB60	Incl End Cap	6m		

RAFTE	RAFTER BAR EDGE TRIM				
CODE	DESC	UNIT	COLOU		
ET20	Edge Trim	2m			
ET25	Edge Trim	2.5m			
ET30	Edge Trim	3m			
ET40	Edge Trim	4m			
ET50	Edge Trim	5m			
ET60	Edge Trim	6m			

R

AF163 16mm `F' Trim 3m AF164 16mm 'F' Trim 4m AF165 16mm `F' Trim 5m AF166 16mm `F' Trim 6m AF253 25mm `F' Trim 3m AF254 25mm `F' Trim 4m AF255 25mm `F' Trim 5m AF256 25mm `F' Trim 6m AF353 35mm 'F' Trim 3m AF354 35mm 'F' Trim 4m AF355 35mm 'F' Trim 5m AF356 35mm `F' Trim 6m



White

Brown

BR

FIXING	BUTTONS		
CODE	DESC	UNIT	COLOUR
FB10	10mm	pk10	
FB16	16mm	pk10	
FB25	25mm	pk10	



BREATHER/BLANKING TAPE		
CODE	DESC	UNIT
STP10	10mm Breather Tape	10m
STP16	16mm Breather Tape	10m
STP25	25mm Breather Tape	10m
STP35	35mm Breather Tape	10m
BLT16	16mm Blanking Tape	10m
BLT25	25mm Blanking Tape	10m
BLT35	35mm Blanking Tape	10m



**POLYCARBONATE 'H' SECTION** DESC UNIT CODE H102 10mm Clear 2m H162 16mm Clear 2m H103 10mm Clear 3m H163 16mm Clear 3m H106 10mm Clear 6m H166 16mm Clear 6m

CODE

UP10

UP16

16mm Clear

Brown

BR



CODE	DESC	UNII	COLOUI
SC10	10mm	2.1m	
SC16	16mm	2.1m	
SC25	25mm	2.1m	
SC35	35mm	2.1m	



ALUMI	NIUM SHEET	CLOS	ER
CODE	DESC	UNIT	COLOU
ASC6.4	6.4mm	2.1m	
ASC10	10mm	2.1m	
ASC16	16mm	2.1m	
ASC25	25mm	2.1m	
ASC35	35mm	2.1m	

# **ROOF SHEETING ACCESSORIES**

61



White Finishes: BLAKELEY CODE: Add after product code WH

2.1m

# **COMPOSITE DECKING**


Our wood-polymer composite (WPC) decking boards are a low maintenance and much longerlasting alternative to timber deck boards.

- Premium wood-grain effect boards
- Engineered with plastic cap for maximum possible durability
- Minimal expansion, fading and staining



62

Pedestal and frames available on request





148x3000x25MM COMPOSITE DOUBLE FACED DECKING PLANK

CODE	DESCRIPTION	UNIT
WPCDF30-TK/MAH WPCDF30-EB/SB	Teak / Mahogany Silver Birch / Ebony	3M 3M
	Silver Bildit / Eboliy	OM









WPCSST-SCREW-SIG

WPCSST-CLIP-SIG

WPCSST-CI	-SIG

FIXINGS		
CODE	DESCRIPTION	UNIT
WPCSST-SCREW-SIG	Decking Fixing Clip Screw	100
WPCSST-CLIP-SIG	Decking Fixing Clip PVC	100
WPCSST-CL-SIG	Decking Starter Clip	50





# **CUSTOMISED PRODUCTS & SPECIALIST GUTTERING**

Bespoke products can be produced and manufactured to customers requirements.

Illustrated here is a casting taken from a source product to ensure the polyurethane replica perfectly matches the classic wooden original.



### **CAST ALUMINIUM**

Long lasting and lightweight solution



Cast Aluminium - the obvious choice for the discerning specifier or installer. A large range of sizes and styles with round, square or rectangular pipe options, available Powder Coated finish in any RAL colour.

# **BESPOKE ALUMINIUM**

Contemporary styling





Aluminium is a metal with exceptional characteristics, both in respect of its functional performance and sustainable credentials. Recyclable, strong, versatile, lightweight, and highly resistant to corrosion.



Blakeley Construction Profiles Ltd Smeaton Road Churchfields Industrial Estate Salisbury SP2 7NQ 1. 01722 323 814 e sales@blakeleyrp.com

e. sales@blakeleyp.com w.www.blakeleyp.com